



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Analytical Report For
Monroe 1 BOCES

For Lab Project ID

200778

Referencing

2020 Outlet Testing Bird Morgan, East Rochester UFSD Bird Morgan
School 108-120 East Ave, East Rochester 14445

Prepared

Monday, March 9, 2020

The enclosed reports reflect an analysis that has been subcontracted and are presented in their original form.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

ANALYTICAL REPORT

Job Number: 420-168095-1

Job Description: Paradigm Environmental, Inc.

For:
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Attention: Paradigm Reporting



Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
03/09/2020
Revision: 1

cc: Joni Deutscher

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOEPH PH-0554

METHOD SUMMARY

Client: Paradigm Environmental Services, Inc.

Job Number: 420-168095-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200.7/200.8

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Paradigm Environmental Services, Inc.

Job Number: 420-168095-1

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Luis, Carlos	CL

SAMPLE SUMMARY

Client: Paradigm Environmental Services, Inc.

Job Number: 420-168095-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-168095-1	200778-01	Drinking Water	02/20/2020 0659	02/25/2020 1050
420-168095-2	200778-02	Drinking Water	02/20/2020 0701	02/25/2020 1050
420-168095-3	200778-03	Drinking Water	02/20/2020 0706	02/25/2020 1050
420-168095-4	200778-04	Drinking Water	02/20/2020 0705	02/25/2020 1050
420-168095-5	200778-05	Drinking Water	02/20/2020 0710	02/25/2020 1050
420-168095-6	200778-06	Drinking Water	02/20/2020 0707	02/25/2020 1050
420-168095-7	200778-07	Drinking Water	02/20/2020 0706	02/25/2020 1050
420-168095-8	200778-08	Drinking Water	02/20/2020 0712	02/25/2020 1050
420-168095-9	200778-09	Drinking Water	02/20/2020 0723	02/25/2020 1050
420-168095-10	200778-10	Drinking Water	02/20/2020 0726	02/25/2020 1050
420-168095-11	200778-11	Drinking Water	02/20/2020 0820	02/25/2020 1050
420-168095-12	200778-12	Drinking Water	02/20/2020 0748	02/25/2020 1050
420-168095-13	200778-13	Drinking Water	02/20/2020 0749	02/25/2020 1050
420-168095-14	200778-14	Drinking Water	02/20/2020 0755	02/25/2020 1050
420-168095-15	200778-15	Drinking Water	02/20/2020 0754	02/25/2020 1050
420-168095-16	200778-16	Drinking Water	02/20/2020 0751	02/25/2020 1050
420-168095-17	200778-17	Drinking Water	02/20/2020 0753	02/25/2020 1050
420-168095-18	200778-18	Drinking Water	02/20/2020 0741	02/25/2020 1050
420-168095-19	200778-19	Drinking Water	02/20/2020 0738	02/25/2020 1050
420-168095-20	200778-20	Drinking Water	02/20/2020 0733	02/25/2020 1050
420-168095-21	200778-21	Drinking Water	02/20/2020 0740	02/25/2020 1050
420-168095-22	200778-22	Drinking Water	02/20/2020 0739	02/25/2020 1050
420-168095-23	200778-23	Drinking Water	02/20/2020 0737	02/25/2020 1050
420-168095-24	200778-24	Drinking Water	02/20/2020 0812	02/25/2020 1050
420-168095-25	200778-25	Drinking Water	02/20/2020 0806	02/25/2020 1050
420-168095-26	200778-26	Drinking Water	02/20/2020 0805	02/25/2020 1050
420-168095-27	200778-27	Drinking Water	02/20/2020 0808	02/25/2020 1050
420-168095-28	200778-28	Drinking Water	02/20/2020 0826	02/25/2020 1050
420-168095-29	200778-29	Drinking Water	02/20/2020 0809	02/25/2020 1050
420-168095-30	200778-30	Drinking Water	02/20/2020 0810	02/25/2020 1050
420-168095-31	200778-31	Drinking Water	02/20/2020 0822	02/25/2020 1050
420-168095-32	200778-32	Drinking Water	02/20/2020 0816	02/25/2020 1050
420-168095-33	200778-33	Drinking Water	02/20/2020 0818	02/25/2020 1050
420-168095-34	200778-34	Drinking Water	02/20/2020 0820	02/25/2020 1050
420-168095-35	200778-35	Drinking Water	02/20/2020 0825	02/25/2020 1050
420-168095-36	200778-36	Drinking Water	02/20/2020 0825	02/25/2020 1050
420-168095-37	200778-37	Drinking Water	02/20/2020 0827	02/25/2020 1050
420-168095-38	200778-38	Drinking Water	02/20/2020 0828	02/25/2020 1050
420-168095-39	200778-39	Drinking Water	02/20/2020 0710	02/25/2020 1050
420-168095-40	200778-40	Drinking Water	02/20/2020 0715	02/25/2020 1050
420-168095-41	200778-41	Drinking Water	02/20/2020 0719	02/25/2020 1050
420-168095-42	200778-42	Drinking Water	02/20/2020 0722	02/25/2020 1050
420-168095-43	200778-43	Drinking Water	02/20/2020 0812	02/25/2020 1050

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-01
Lab Sample ID: 420-168095-1

Date Sampled: 02/20/2020 0659
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1415	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-02
Lab Sample ID: 420-168095-2

Date Sampled: 02/20/2020 0701
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1416	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.14	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-03
Lab Sample ID: 420-168095-3

Date Sampled: 02/20/2020 0706
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1422	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.39	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-04
Lab Sample ID: 420-168095-4

Date Sampled: 02/20/2020 0705
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1432	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	11.8	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-05
Lab Sample ID: 420-168095-5

Date Sampled: 02/20/2020 0710
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1438	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.13	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-06
Lab Sample ID: 420-168095-6

Date Sampled: 02/20/2020 0707
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1441	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-07
Lab Sample ID: 420-168095-7

Date Sampled: 02/20/2020 0706
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1444	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	2.69	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-08
Lab Sample ID: 420-168095-8

Date Sampled: 02/20/2020 0712
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1446	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-09
Lab Sample ID: 420-168095-9

Date Sampled: 02/20/2020 0723
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1451	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-10
Lab Sample ID: 420-168095-10

Date Sampled: 02/20/2020 0726
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1452	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	2.04	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-11
Lab Sample ID: 420-168095-11

Date Sampled: 02/20/2020 0820
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1454	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	18.3 g	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-12
Lab Sample ID: 420-168095-12

Date Sampled: 02/20/2020 0748
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1455	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-13
Lab Sample ID: 420-168095-13

Date Sampled: 02/20/2020 0749
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1457	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-14
Lab Sample ID: 420-168095-14

Date Sampled: 02/20/2020 0755
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1458	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.26	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-15
Lab Sample ID: 420-168095-15

Date Sampled: 02/20/2020 0754
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1500	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	4.52	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-16
Lab Sample ID: 420-168095-16

Date Sampled: 02/20/2020 0751
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1502	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-17
Lab Sample ID: 420-168095-17

Date Sampled: 02/20/2020 0753
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1503	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-18
Lab Sample ID: 420-168095-18

Date Sampled: 02/20/2020 0741
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1505	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-19
Lab Sample ID: 420-168095-19

Date Sampled: 02/20/2020 0738
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1509	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-20
Lab Sample ID: 420-168095-20

Date Sampled: 02/20/2020 0733
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1511	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	7.05	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-21
Lab Sample ID: 420-168095-21

Date Sampled: 02/20/2020 0740
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1512	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-22
Lab Sample ID: 420-168095-22

Date Sampled: 02/20/2020 0739
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1514	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-23
Lab Sample ID: 420-168095-23

Date Sampled: 02/20/2020 0737
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1516	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-24
Lab Sample ID: 420-168095-24

Date Sampled: 02/20/2020 0812
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1517	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-25
Lab Sample ID: 420-168095-25

Date Sampled: 02/20/2020 0806
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1519	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-26
Lab Sample ID: 420-168095-26

Date Sampled: 02/20/2020 0805
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1520	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	2.43	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-27
Lab Sample ID: 420-168095-27

Date Sampled: 02/20/2020 0808
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1522	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-28
Lab Sample ID: 420-168095-28

Date Sampled: 02/20/2020 0826
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1523	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	7.66	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-29
Lab Sample ID: 420-168095-29

Date Sampled: 02/20/2020 0809
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1528	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	18.4 g	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-30
Lab Sample ID: 420-168095-30

Date Sampled: 02/20/2020 0810
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1530	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-31
Lab Sample ID: 420-168095-31

Date Sampled: 02/20/2020 0822
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1531	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-32
Lab Sample ID: 420-168095-32

Date Sampled: 02/20/2020 0816
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1533	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-33
Lab Sample ID: 420-168095-33

Date Sampled: 02/20/2020 0818
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1534	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	6.41	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-34
Lab Sample ID: 420-168095-34

Date Sampled: 02/20/2020 0820
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1536	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.89	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-35
Lab Sample ID: 420-168095-35

Date Sampled: 02/20/2020 0825
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1537	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	67.9 g	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-36
Lab Sample ID: 420-168095-36

Date Sampled: 02/20/2020 0825
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1539	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.43	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-37
Lab Sample ID: 420-168095-37

Date Sampled: 02/20/2020 0827
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1541	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.03	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-38
Lab Sample ID: 420-168095-38

Date Sampled: 02/20/2020 0828
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1542	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-39
Lab Sample ID: 420-168095-39

Date Sampled: 02/20/2020 0710
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1547	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-40
Lab Sample ID: 420-168095-40

Date Sampled: 02/20/2020 0715
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1548	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.49	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-41
Lab Sample ID: 420-168095-41

Date Sampled: 02/20/2020 0719
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1550	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-42
Lab Sample ID: 420-168095-42

Date Sampled: 02/20/2020 0722
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1552	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Paradigm Reporting
Paradigm Environmental Services, Inc.
179 Lake Avenue
Rochester, NY 14608

Job Number: 420-168095-1

Client Sample ID: 200778-43
Lab Sample ID: 420-168095-43

Date Sampled: 02/20/2020 0812
Date Received: 02/25/2020 1050
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	02/27/2020 1553	
Prep Method: 200.7/200.8			Date Prepared:	02/25/2020 1430	
Pb	1.00 U	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Paradigm Environmental Services, Inc.

Job Number:

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Paradigm Environmental Services, Inc.

Job Number:

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Setttable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluorene (525.2), Phenanthrene (525.2), Anthracene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

Definitions and Glossary


Client: Paradigm Environmental Services, Inc.

Job Number:

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



REPORT TO:
 Paradigm Environmental Services, Inc.
 179 Lake Avenue
 Rochester, NY 14608
 (585) 647-2530
reporting@paradigmenv.com


 200778-01 420-168095-B-1
 Date Sampled: 2/20/2020 420-1453717

7.3°C

168095

1083

10142

Page 52 of 62

PROJECT REFERENCE						Turnaround Time:			10 Days
Monroe BOCES East Rochester UFSD Bird Morgan School						Report Format:			Std
Date Sampled	Time Sampled	Sample Location		Sample Matrix	Containers	Analysis Required	Paradigm Lab Sample #		
2/20/20	6:59 AM	1	1	A105A Main Office	Office Sink	DW	1	Pb	200778-01
2/20/20	7:01 AM	2	1	B104	Classroom Sink	DW	1	Pb	02
2/20/20	7:06 AM	3	1	B109	Classroom Sink	DW	1	Pb	03
2/20/20	7:05 AM	4	1	B110	Classroom Sink	DW	1	Pb	04
2/20/20	7:10 AM	6	1	B112 (B102) Nurse	Nurse Sink at Entry	DW	1	Pb	05
2/20/20	7:07 AM	7	1	B115 Hall	Drinking Fountain	DW	1	Pb	06
2/20/20	7:06 AM	8	1	B116	Classroom Sink	DW	1	Pb	07
2/20/20	7:12 AM	9	1	M104	Classroom Sink	DW	1	Pb	08
2/20/20	7:23 AM	10	1	M109	Classroom Sink	DW	1	Pb	09
2/20/20	7:26 AM	11	1	M116	Science Lab Sink	DW	1	Pb	10
2/20/20	8:20 AM	12	Grd	M011	Classroom Sink Left HC	DW	1	Pb	11
2/20/20	7:48 AM	15	2	B201	Classroom Sink	DW	1	Pb	12
2/20/20	7:49 AM	16	2	B204	Classroom Sink	DW	1	Pb	13
2/20/20	7:55 AM	17	2	B208	Classroom Sink	DW	1	Pb	14
2/20/20	7:54 AM	18	2	B209	Classroom Sink	DW	1	Pb	15
2/20/20	7:51 AM	19	2	H Hall across B211W	Drinking Fountain	DW	1	Pb	16
2/20/20	7:53 AM	20	2	G Hall outside B211	Drinking Fountain East	DW	1	Pb	17
2/20/20	7:41 AM	21	2	M204	Classroom Sink	DW	1	Pb	18
2/20/20	7:38 AM	23	2	M209	Classroom Sink	DW	1	Pb	19
2/20/20	7:33 AM	24	2	M218A	Classroom Sink	DW	1	Pb	20
Sampled by:						Date:		Time:	
Relinquished by:		<i>Molly Vail</i>				Date:	2/20/2020	Time:	1600
Received by:		<i>Thomas</i>				Date:	2/25/20	Time:	1050
Received at Lab by:						Date:		Time:	03/09/2020



REPORT TO:
 Paradigm Environmental Services, Inc.
 179 Lake Avenue
 Rochester, NY 14608
 (585) 647-2530
reporting@paradigmenv.com

2063

10142

Page 53 of 62

4.30C

PROJECT REFERENCE						Turnaround Time:			10 Days
Monroe BOCES East Rochester UFSD Bird Morgan School						Report Format:			Std
Date Sampled	Time Sampled	Sample Location				Sample Matrix	Containers	Analysis Required	Paradigm Lab Sample #
2/20/20	7:40 AM	25	2	U Hall outside M205	Drinking Fountain	DW	1	Pb	200778-21
2/20/20	7:39 AM	26	2	V Hall outside M241	Drinking Fountain	DW	1	Pb	22
2/20/20	7:37 AM	27	2	W Hall outside M210	Drinking Fountain	DW	1	Pb	23
2/20/20	8:12 AM	28	Grd	A Hall by A003	Drinking Fountain, Reg	DW	1	Pb	24
2/20/20	8:06 AM	30	Grd	A Hall outside B010	Drinking Fountain	DW	1	Pb	25
2/20/20	8:05 AM	34	Grd	B010 Life Skills	Kitchen Sink	DW	1	Pb	26
2/20/20	8:08 AM	35	Grd	A005 Serving Line	Single Bay Sink Serving Line Sink <i>Single Bay Sink</i>	DW	1	Pb	27
2/20/20	8:26 AM	36	Grd	M016A Laundry Rm	Kitchen Sink	DW	1	Pb	28
2/20/20	8:09 AM	37	Grd	B003 3 Bay Sink	Dish Station Sink	DW	1	Pb	29
2/20/20	8:10 AM	38	Grd	B003 Food Prep	Single Bay Sink Serving Line Sink <i>Serving Line Sink</i>	DW	1	Pb	30
2/20/20	8:22 AM	39	Grd	L Hall outside M010	Drinking Fountain	DW	1	Pb	31
2/20/20	8:16 AM	40	Grd	M Hall outside MT02	Drinking Fountain	DW	1	Pb	32
2/20/20	8:18 AM	42	Grd	M009	Classroom Sink	DW	1	Pb	33
2/20/20	8:20 AM	43	Grd	M011	Classroom Sink Right	DW	1	Pb	34
2/20/20	8:25 AM	44	Grd	M016 by Windows	Staff Lounge Sink	DW	1	Pb	35
2/20/20	8:25 AM	45	Grd	M016 toward Hall	Staff Lounge Sink	DW	1	Pb	36
2/20/20	8:27 AM	46	Grd	M019	Art Lab Sink	DW	1	Pb	37
2/20/20	8:28 AM	47	Grd	N Hall outside M016	Drinking Fountain	DW	1	Pb	38
2/20/20	7:10 AM	48	1	B112 (B102) Nurse	Nurse Sink Exam Side	DW	1	Pb	39
2/20/20	7:15 AM	49	1	A105B Conference Rm	Kitchen Sink	DW	1	Pb	40
Sampled by:						Date:		Time:	
Relinquished by:		<i>Molly Gil</i>				Date:	2/21/2020	Time:	1000
Received by:		<i>Fiona</i>				Date:	2/25/20	Time:	1050
Received at Lab by:						Date:		Time:	03/09/2020



7.3°C

10142

Page 54 of 62

03/09/2020

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Paradigm Environmental Services, Inc.

Job Number: 420-168095-1

Login Number: 168095

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	7.3 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



REPORT TO:
 Barbara Carlson
 Monroe One BOCES
 41 O'Connor Rd
 Fairport, NY 14450
 (585) 387-3840
barbara_carlson@boces.monroe.edu

1 of 7
 Page 56 of 62

200778

PROJECT REFERENCE					Turnaround Time:			10 Days
East Rochester UFSD Bird Morgan School 108-120 East Ave, East Rochester 14445					Report Format:			Std
					Quotation #			MS 052119A
Date Sampled	Time Sampled	Floor	Room	Sample Location Fixture	Sample Matrix	Containers	Analysis Required	Paradigm Lab Sample #
2/20/20	6:59 AM	1	A105A Main Office	Office Sink	DW	1	Pb	01
2/20/20	7:01 AM	1	B104	Classroom Sink	DW	1	Pb	02
2/20/20	7:06 AM	1	B109	Classroom Sink	DW	1	Pb	03
2/20/20	7:05 AM	1	B110	Classroom Sink	DW	1	Pb	04
2/20/20	7:10 AM	1	B112 (B102) Nurse	Nurse Sink at Entry	DW	1	Pb	05
2/20/20	7:07 AM	1	B115 Hall	Drinking Fountain	DW	1	Pb	06
2/20/20	7:06 AM	1	B116	Classroom Sink	DW	1	Pb	07
2/20/20	7:12 AM	1	M104	Classroom Sink	DW	1	Pb	08
2/20/20	7:23 AM	1	M109	Classroom Sink	DW	1	Pb	09
2/20/20	7:26 AM	1	M116	Science Lab Sink	DW	1	Pb	10
2/20/20	8:20 AM	Grd	M011	Classroom Sink Left HC	DW	1	Pb	11
2/20/20	7:48 AM	2	B201	Classroom Sink	DW	1	Pb	12
2/20/20	7:49 AM	2	B204	Classroom Sink	DW	1	Pb	13
2/20/20	7:55 AM	2	B208	Classroom Sink	DW	1	Pb	14
2/20/20	7:54 AM	2	B209	Classroom Sink	DW	1	Pb	15
2/20/20	7:51 AM	2	H Hall across B211W	Drinking Fountain	DW	1	Pb	16
2/20/20	7:53 AM	2	G Hall outside B211	Drinking Fountain East	DW	1	Pb	17
2/20/20	7:41 AM	2	M204	Classroom Sink	DW	1	Pb	18
2/20/20	7:38 AM	2	M209	Classroom Sink	DW	1	Pb	19
2/20/20	7:33 AM	2	M218A	Classroom Sink	DW	1	Pb	20
Sampled by:		Marshall Shannon			Date:	2/20/2020	Time:	
Relinquished by:					Date:	2/20/2020	Time:	11:40
Received by:					Date:		Time:	
Received at Lab by:		molepail			Date:	2/20/2020	Time:	1411

16°C 2/20/2020 11:55



REPORT TO:
 Barbara Carlson
 Monroe One BOCES
 41 O'Connor Rd
 Fairport, NY 14450
 (585) 387-3840
barbara_carlson@boces.monroe.edu

2067
 Page 57 of 62

PROJECT REFERENCE

East Rochester UFSD Bird Morgan School 108-120 East Ave, East Rochester 14445

Turnaround Time:

10 Days

Report Format:

Std

Quotation #

MS 052119A

Date Sampled	Time Sampled	Sample Location			Sample Matrix	Containers	Analysis Required	Paradigm Lab Sample #
		Floor	Room	Fixture				
2/20/20	7:40 AM	2	U Hall outside M205	Drinking Fountain	DW	1	Pb	21
2/20/20	7:39 AM	2	V Hall outside M241	Drinking Fountain	DW	1	Pb	22
2/20/20	7:37 AM	2	W Hall outside M210	Drinking Fountain	DW	1	Pb	23
2/20/20	8:12 AM	Grd	A Hall by A003	Drinking Fountain, Reg	DW	1	Pb	24
2/20/20	8:06 AM	Grd	A Hall outside B010	Drinking Fountain	DW	1	Pb	25
2/20/20	8:05 AM	Grd	B010 Life Skills	Kitchen Sink	DW	1	Pb	26
2/20/20	8:10 AM	Grd	A005 Serving Line	Single Bay Sink	DW	1	Pb	27
2/20/20	8:26 AM	Grd	M016A Laundry Rm	Kitchen Sink	DW	1	Pb	28
2/20/20	8:08 AM	Grd	B003 3 Bay Sink	Dish Station Sink	DW	1	Pb	29
2/20/20	8:09 AM	Grd	B003 Food Prep	Single Bay Sink	DW	1	Pb	30
2/20/20	8:22 AM	Grd	L Hall outside M010	Drinking Fountain	DW	1	Pb	31
2/20/20	8:16 AM	Grd	M Hall outside MT02	Drinking Fountain	DW	1	Pb	32
2/20/20	8:18 AM	Grd	M009	Classroom Sink	DW	1	Pb	33
2/20/20	8:20 AM	Grd	M011	Classroom Sink Right	DW	1	Pb	34
2/20/20	8:25 AM	Grd	M016 by Windows	Staff Lounge Sink	DW	1	Pb	35
2/20/20	8:25 AM	Grd	M016 toward Hall	Staff Lounge Sink	DW	1	Pb	36
2/20/20	8:27 AM	Grd	M019	Art Lab Sink	DW	1	Pb	37
2/20/20	8:28 AM	Grd	N Hall outside M016	Drinking Fountain	DW	1	Pb	38
2/20/20	7:10 AM	1	B112 (B102) Nurse	Nurse Sink Exam Side	DW	1	Pb	39
2/20/20	7:15 AM	1	A105B Conference Rm	Kitchen Sink	DW	1	Pb	40
Sampled by:		Marshall Shannon			Date:	2/20/2020	Time:	
Relinquished by:					Date:	2/20/2020	Time:	11:40
Received by:					Date:		Time:	
Received at Lab by:					Date:	2/20/2020	Time:	1411

4 of 7

Bird Morgan

2/20/

#	Floor	Room	Fixture	Time Sampled
1	1	A105A Main Office	Office Sink	6:59 AM
2	1	B104	Classroom Sink	7:01 AM
3	1	B109	Classroom Sink	7:06 AM
4	1	B110	Classroom Sink	7:05
5	1	B111 <i>VACANT</i>	Classroom Sink	7:03 AM
6	1	B102 Nurse's Office <i>BLIND</i>	Nurse's Office Sink	7:10
7	1	B115 Hall	Drinking Fountain	7:07
8	1	B116	Classroom Sink	7:06
9	1	M104	Classroom Sink	7:12
10	1	M109	Classroom Sink	7:23
11	1	M116	Science Lab Sink	7:24
12	1	P Hall outside A105	Drinking Fountain	
13	1	Q Hall outside M106	Drinking Fountain	
14	1	R Hall outside M110	Drinking Fountain	
15	2	B201	Classroom Sink	7:48 AM
16	2	B204	Classroom Sink	7:49
17	2	B208	Classroom Sink	7:55
18	2	B209	Classroom Sink	7:54
52 19	2	G Hall outside B211 <i>W</i>	Drinking Fountain West	* 52
20	2	G Hall outside B211 <i>E</i>	Drinking Fountain East	7:53
21	2	M204	Classroom Sink	7:41
22	2	M205	Office Sink <i>NEXIST</i>	X
23	2	M209	Classroom Sink	7:38
24	2	M218A	Classroom Sink	7:33
25	2	U Hall outside M205	Drinking Fountain	7:40
26	2	V Hall outside M241	Drinking Fountain	7:39
27	2	W Hall outside M210	Drinking Fountain	7:37
28	Grd	A Hall outside A003 <i>6:48</i>	Drinking Fountain <i>REG</i>	8:12
29	Grd	A Hall outside B008	Drinking Fountain	
30	Grd	A Hall outside B010	Drinking Fountain	8:06
31	Grd	B006	Classroom Sink	
32	Grd	B008	Storage Area Sink	
33	Grd	B009	Classroom Sink	
34	Grd	B010 Life Skills	Kitchen Sink	8:05

2/20/ 7:51
N Hall by M110 7:22
H Hall by B211W across from 7:51

51 52

50 M Hall x M104 DF 7:19 AM
52 A003 HC DF 8:12

48 — NURSE'S OFFICE EXAM — 7:10
49 — A105B OFFICE EXAM — 7:15

5087

35	Grd	Cafeteria A005	Serving Line Sink	8:10
36	Grd	J Hall outside M004 M016	Drinking Fountain Laundry Sink	8:26
37	Grd	Kitchen B003	Dish Station Sink	8:08
38	Grd	Kitchen B003B	Food Prep Sink	8:09
39	Grd	L Hall outside M010	Drinking Fountain	8:22
40	Grd	M Hall outside MT02	Drinking Fountain	8:16
41	Grd	M005 X	Staff Lounge Sink wood shop hand sink 2	
42	Grd	M009	Classroom Sink	8:18
43	Grd	M011	Classroom Sink RIGHT	8:20
44	Grd	M016 toward window	Home & Careers Sink staff	8:25
45	Grd	M016 X 2 ways	Home & Careers Sink staff	8:25
46	Grd	M019	Art Lab Sink	8:27
47	Grd	N Hall outside M016	Drinking Fountain	8:28

(12) M011 Left (HC) — 8:20

657

Sample ID	Chain of Custody Sheet	East Rochester UFSD Bird Morgan School 108-120 East Ave, East Rochester 14445				Testing Date: February 20, 2020	EPA Action Level > 15 ug/L	Report Page #
		Time Sampled	Building	Floor	Room	Fixture	Result Lead ug/L	
1		6:59 AM	Bird Morgan	1	A105A Main Office	Office Sink		
2		7:01 AM	Bird Morgan	1	B104	Classroom Sink		
3		7:06 AM	Bird Morgan	1	B109	Classroom Sink		
4		7:05 AM	Bird Morgan	1	B110	Classroom Sink		
6		7:10 AM	Bird Morgan	1	B112 (B102) Nurse	Nurse Sink at Entry		
7		7:07 AM	Bird Morgan	1	B115 Hall	Drinking Fountain		
8		7:06 AM	Bird Morgan	1	B116	Classroom Sink		
9		7:12 AM	Bird Morgan	1	M104	Classroom Sink		
10		7:23 AM	Bird Morgan	1	M109	Classroom Sink		
11		7:26 AM	Bird Morgan	1	M116	Science Lab Sink		
12		8:20 AM	Bird Morgan	Grd	M011	Classroom Sink Left HC		
15		7:48 AM	Bird Morgan	2	B201	Classroom Sink		
16		7:49 AM	Bird Morgan	2	B204	Classroom Sink		
17		7:55 AM	Bird Morgan	2	B208	Classroom Sink		
18		7:54 AM	Bird Morgan	2	B209	Classroom Sink		
19		7:51 AM	Bird Morgan	2	H Hall across B211W	Drinking Fountain		
20		7:53 AM	Bird Morgan	2	G Hall outside B211	Drinking Fountain East		
21		7:41 AM	Bird Morgan	2	M204	Classroom Sink		
23		7:38 AM	Bird Morgan	2	M209	Classroom Sink		
24		7:33 AM	Bird Morgan	2	M218A	Classroom Sink		
25		7:40 AM	Bird Morgan	2	U Hall outside M205	Drinking Fountain		
26		7:39 AM	Bird Morgan	2	V Hall outside M241	Drinking Fountain		
27		7:37 AM	Bird Morgan	2	W Hall outside M210	Drinking Fountain		
28		8:12 AM	Bird Morgan	Grd	A Hall by A003	Drinking Fountain, Reg		
30		8:06 AM	Bird Morgan	Grd	A Hall outside B010	Drinking Fountain		
34		8:05 AM	Bird Morgan	Grd	B010 Life Skills	Kitchen Sink		
35		8:08 AM	Bird Morgan	Grd	B003 3 Bay Sink	Dish Station Sink		
36		8:26 AM	Bird Morgan	Grd	M016A Laundry Rm	Kitchen Sink		
37		8:09 AM	Bird Morgan	Grd	B003 Food Prep	Single Bay Sink		
38		8:10 AM	Bird Morgan	Grd	A005 Serving Line	Single Bay Sink		
39		8:22 AM	Bird Morgan	Grd	L Hall outside M010	Drinking Fountain		
40		8:16 AM	Bird Morgan	Grd	M Hall outside MT02	Drinking Fountain		
42		8:18 AM	Bird Morgan	Grd	M009	Classroom Sink		
43		8:20 AM	Bird Morgan	Grd	M011	Classroom Sink Right		
44		8:25 AM	Bird Morgan	Grd	M016 by Windows	Staff Lounge Sink		
45		8:25 AM	Bird Morgan	Grd	M016 toward Hall	Staff Lounge Sink		
46		8:27 AM	Bird Morgan	Grd	M019	Art Lab Sink		
47		8:28 AM	Bird Morgan	Grd	N Hall outside M016	Drinking Fountain		
48		7:10 AM	Bird Morgan	1	B112 (B102) Nurse	Nurse Sink Exam Side		
49		7:15 AM	Bird Morgan	1	A105B Conference Rm	Kitchen Sink		
50		7:19 AM	Bird Morgan	1	M Hall by M106	Drinking Fountain		
51		7:22 AM	Bird Morgan	1	M Hall by M110	Drinking Fountain		
52		8:12 AM	Bird Morgan	Grd	A Hall outside A003	Drinking Fountain, HC		

787



Chain of Custody Supplement

Client:

Monroe Boces

Completed by:

Molly Nail

Lab Project ID:

200778

Date:

2/20/2020

Sample Condition Requirements

Per NELAC/ELAP 210/241/242/243/244

Condition	NELAC compliance with the sample condition requirements upon receipt		
	Yes	No	N/A
Container Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			
Transferred to method-compliant container	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Headspace (<1 mL)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments			
Preservation	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments	<u>all samples pres w/ HNO₃ to pH < 2 before submitt</u>		
Chlorine Absent (<0.10 ppm per test strip)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments			
Holding Time	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			
Temperature	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments			
Compliant Sample Quantity/Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Analytical Report For

Monroe 1 BOCES

For Lab Project ID

East Rochester UFSD Bird Morgan School

Referencing

200828

Prepared

Wednesday, March 4, 2020

The enclosed reports reflect an analysis that has been subcontracted and are presented in their original form.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

March 03, 2020

Sarah Conlon
Paradigm Environmental
179 Lake Avenue
Rochester, NY 14608

TEL: (800) 724-1997

Work Order No: 200226004

Project# : 200828

RE: Analysis of Samples
Drinking Water Analysis

Dear Sarah Conlon:

Adirondack Environmental Services, Inc received 4 samples on 2/26/2020 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Monica Higdon
Laboratory Manager

ELAP#: 10709

Adirondack Environmental Services, Inc

CASE NARRATIVE

CLIENT: Paradigm Environmental

Date: 03-Mar-20

Project: Analysis of Samples

Lab Order: 200226004

Sample containers were not supplied by Adirondack Environmental Services.

Definitions - RL: Reporting Limit DF: Dilution factor

Qualifiers:	ND : Not Detected at reporting limit	C: CCV below acceptable Limits
	J: Analyte detected below quantitation limit	C+: CCV above acceptable Limits
	B: Analyte detected in Blank	S: LCS Spike recovery is below acceptable limits
	X : Exceeds maximum contamination limit	S+: LCS Spike recovery is above acceptable limits
	H: Hold time exceeded	Z: Duplication outside acceptable limits
	N: Matrix Spike below acceptable limits	T : Tentatively Identified Compound-Estimated
	N+: Matrix Spike is above acceptable limits	E :Above quantitation range-Estimated

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: 03-Mar-20

CLIENT: Paradigm Environmental
Project: Analysis of Samples
Drinking Water Analysis

LabWork Order: 200226004
PO#:
Project# : 200828

Lab SampleID: 200226004-001
Client Sample ID: A Hall outside B008

Collection Date: 2/25/2020
Matrix: DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/27/2020)

Lead	ND	0.0010		mg/L	1	3/3/2020 1:54:22 PM
------	----	--------	--	------	---	---------------------

Lab SampleID: 200226004-002**Collection Date:** 2/25/2020**Client Sample ID:** B006**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/27/2020)

Lead	ND	0.0010		mg/L	1	3/3/2020 2:05:34 PM
------	----	--------	--	------	---	---------------------

Lab SampleID: 200226004-003**Collection Date:** 2/25/2020**Client Sample ID:** B008**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/27/2020)

Lead	0.0017	0.0010		mg/L	1	3/3/2020 2:09:19 PM
------	--------	--------	--	------	---	---------------------

Lab SampleID: 200226004-004**Collection Date:** 2/25/2020**Client Sample ID:** B009**Matrix:** DRINKING WATER


Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4

Analyst: SM

(Prep: - 2/27/2020)

Lead	0.0024	0.0010		mg/L	1	3/3/2020 2:13:04 PM
------	--------	--------	--	------	---	---------------------






Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.



1 of 3

200828

East Rochester UFSD Bird Morgan School 108-120 East Ave, East Rochester 14445

10 Days

Std

MS 052119A

[illegible]

Bird Morgan

#	Floor	Room	Fixture	Time Sampled
29	Grd	A Hall outside B008	Drinking Fountain	6:54
31	Grd	B006	Classroom Sink	6:58
32	Grd	B008	Storage Area Sink	6:55
33	Grd	B009	Classroom Sink	6:56

2/25/2020



3 of 3

Chain of Custody Supplement

Client: Monroe One BOCES Completed by: Glenn Pezzullo
Lab Project ID: 200828 Date: 2/25/2020

Sample Condition Requirements

Per NELAC/ELAP 210/241/242/243/244

Condition	NELAC compliance with the sample condition requirements upon receipt		
	Yes	No	N/A
Container Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			
Transferred to method-compliant container	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Headspace (<1 mL)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments			
Preservation	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments	<u>HNO₃ added to samples before sub-out.</u>		
Chlorine Absent (<0.10 ppm per test strip)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments			
Holding Time	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			
Temperature	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments	<u>13°C</u>		
Compliant Sample Quantity/Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			