

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Harris Building
Test Location: 2596 Baird Road
Penfield, NY 14526-

Individual Canister Results

Canister ID# : 2353094 Test Start : 12/01/2014 @ 12:36
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:58
Location : First Floor-A1A Received: 12/08/2014 @ 13:47
Radon Level : 0.4 pCi/L Analyzed: 12/08/2014 @ 13:58
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353105 Test Start : 12/01/2014 @ 12:00
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:40
Location : First Floor-B2C Received: 12/08/2014 @ 13:46
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 13:58
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353111 Test Start : 12/01/2014 @ 12:35
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:58
Location : First Floor-A1B Received: 12/08/2014 @ 13:46
Radon Level : 0.7 pCi/L Analyzed: 12/08/2014 @ 14:35
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2353114 Test Start : 12/01/2014 @ 11:59
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:38
Location : First Floor-A2 Received: 12/08/2014 @ 13:46
Radon Level : 1.0 pCi/L Analyzed: 12/08/2014 @ 14:16
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2353126 Test Start : 12/01/2014 @ 12:36
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:58
Location : First Floor-A1 Received: 12/08/2014 @ 13:47
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 13:58
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353150 Test Start : 12/01/2014 @ 12:03
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:42
Location : First Floor-B2A Received: 12/08/2014 @ 13:46
Radon Level : 0.4 pCi/L Analyzed: 12/08/2014 @ 12:50
Error for Measurement is: \pm 0.3 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Harris Building
Test Location: 2596 Baird Road
Penfield, NY 14526-

Individual Canister Results

Canister ID# : 2353153 Test Start : 12/01/2014 @ 12:16
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:48
Location : First Floor-B9 Received: 12/08/2014 @ 13:46
Radon Level : 0.4 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353157 Test Start : 12/01/2014 @ 12:24
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:52
Location : First Floor-C1L Received: 12/08/2014 @ 13:46
Radon Level : 0.6 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353158 Test Start : 12/01/2014 @ 12:22
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:52
Location : First Floor-C1J Received: 12/08/2014 @ 13:46
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 13:21
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353160 Test Start : 12/01/2014 @ 12:09
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:46
Location : First Floor-B11B Received: 12/08/2014 @ 13:46
Radon Level : 0.8 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353165 Test Start : 12/01/2014 @ 12:31
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:54
Location : First Floor-C1F Received: 12/08/2014 @ 13:46
Radon Level : 0.8 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2353168 Test Start : 12/01/2014 @ 12:07
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:44
Location : First Floor-B5 Received: 12/08/2014 @ 13:46
Radon Level : 0.1 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Harris Building
Test Location: 2596 Baird Road
Penfield, NY 14526-

Individual Canister Results

Canister ID# : 2353175 Test Start : 12/01/2014 @ 12:17
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:48
Location : First Floor-B10C Received: 12/08/2014 @ 13:46
Radon Level : 0.6 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353190 Test Start : 12/01/2014 @ 12:24
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:52
Location : First Floor-C1M Received: 12/08/2014 @ 13:46
Radon Level : 0.4 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2353191 Test Start : 12/01/2014 @ 12:30
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:54
Location : First Floor-C1C Received: 12/08/2014 @ 13:46
Radon Level : 0.4 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353197 Test Start : 12/01/2014 @ 12:36
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:58
Location : First Floor-BL Received: 12/08/2014 @ 13:47
Radon Level : 0.1 pCi/L Analyzed: 12/08/2014 @ 12:50
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2353198 Test Start : 12/01/2014 @ 12:08
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:45
Location : First Floor-B6 Received: 12/08/2014 @ 13:46
Radon Level : 0.8 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353200 Test Start : 12/01/2014 @ 12:05
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:43
Location : First Floor-B3 Received: 12/08/2014 @ 13:46
Radon Level : 0.6 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Harris Building
Test Location: 2596 Baird Road
Penfield, NY 14526-

Individual Canister Results

Canister ID# : 2353203 Test Start : 12/01/2014 @ 12:02
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:41
Location : First Floor-B1 Received: 12/08/2014 @ 13:46
Radon Level : 0.7 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2353208 Test Start : 12/01/2014 @ 12:08
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:44
Location : First Floor-B11A Received: 12/08/2014 @ 13:46
Radon Level : 1.0 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2353210 Test Start : 12/01/2014 @ 12:29
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:54
Location : First Floor-C1D Received: 12/08/2014 @ 13:46
Radon Level : 0.6 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2353222 Test Start : 12/01/2014 @ 12:05
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:43
Location : First Floor-B3 Received: 12/08/2014 @ 13:46
Radon Level : 0.8 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2353223 Test Start : 12/01/2014 @ 12:31
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:52
Location : First Floor-C1Hall Received: 12/08/2014 @ 13:46
Radon Level : 0.7 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2353225 Test Start : 12/01/2014 @ 12:15
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:46
Location : First Floor-B10A Received: 12/08/2014 @ 13:46
Radon Level : 0.3 pCi/L Analyzed: 12/08/2014 @ 13:58
Error for Measurement is: ± 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Harris Building
Test Location: 2596 Baird Road
Penfield, NY 14526-

Individual Canister Results

Canister ID# : 2353231 Test Start : 12/01/2014 @ 12:30
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:54
Location : First Floor-C1C Received: 12/08/2014 @ 13:46
Radon Level : 0.4 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353236 Test Start : 12/01/2014 @ 12:20
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:49
Location : First Floor-B7 Received: 12/08/2014 @ 13:46
Radon Level : 1.1 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2353238 Test Start : 12/01/2014 @ 11:58
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:38
Location : First Floor-A4AOff Received: 12/08/2014 @ 13:46
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361645 Test Start : 12/01/2014 @ 12:18
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:48
Location : First Floor-B10B Received: 12/08/2014 @ 13:46
Radon Level : 1.0 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361663 Test Start : 12/01/2014 @ 12:21
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:52
Location : First Floor-C2 Received: 12/08/2014 @ 13:46
Radon Level : 0.9 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361673 Test Start : 12/01/2014 @ 12:20
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:49
Location : First Floor-B7 Received: 12/08/2014 @ 13:46
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Harris Building
Test Location: 2596 Baird Road
Penfield, NY 14526-

Individual Canister Results

Canister ID# : 2361674 Test Start : 12/01/2014 @ 12:29
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:54
Location : First Floor-C1E Received: 12/08/2014 @ 13:46
Radon Level : 0.4 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361694 Test Start : 12/01/2014 @ 12:34
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:58
Location : First Floor-A1C Received: 12/08/2014 @ 13:46
Radon Level : 0.1 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361698 Test Start : 12/01/2014 @ 12:22
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:52
Location : First Floor-C1K Received: 12/08/2014 @ 13:46
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2361702 Test Start : 12/01/2014 @ 12:36
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:58
Location : First Floor-BL Received: 12/08/2014 @ 13:47
Radon Level : 0.1 pCi/L Analyzed: 12/08/2014 @ 12:50
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2361714 Test Start : 12/01/2014 @ 12:23
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:52
Location : First Floor-C1G Received: 12/08/2014 @ 13:46
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 14:35
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361715 Test Start : 12/01/2014 @ 12:23
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:52
Location : First Floor-C1H Received: 12/08/2014 @ 13:46
Radon Level : 0.4 pCi/L Analyzed: 12/08/2014 @ 13:07
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Harris Building
Test Location: 2596 Baird Road
Penfield, NY 14526-

Individual Canister Results

Canister ID# : 2361758 Test Start : 12/01/2014 @ 12:04
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:42
Location : First Floor-B4 Received: 12/08/2014 @ 13:46
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 14:35
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361765 Test Start : 12/01/2014 @ 11:58
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:38
Location : First Floor-A4 Off Received: 12/08/2014 @ 13:46
Radon Level : 0.7 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361791 Test Start : 12/01/2014 @ 12:01
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:41
Location : First Floor-B2B Received: 12/08/2014 @ 13:46
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2361821 Test Start : 12/01/2014 @ 11:58
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:38
Location : First Floor-A4 Received: 12/08/2014 @ 13:46
Radon Level : 0.7 pCi/L Analyzed: 12/08/2014 @ 12:50
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361823 Test Start : 12/01/2014 @ 12:33
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:56
Location : First Floor-C1A/C1B Received: 12/08/2014 @ 13:46
Radon Level : 1.0 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361846 Test Start : 12/01/2014 @ 12:10
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 12:46
Location : First Floor-B12 Received: 12/08/2014 @ 13:46
Radon Level : 1.0 pCi/L Analyzed: 12/08/2014 @ 12:31
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-Client: Harris Building
Test Location: 2596 Baird Road
Penfield, NY 14526-

Individual Canister Results

Canister ID# :	2361911	Test Start :	12/01/2014 @ 11:59
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/03/2014 @ 12:40
Location :	First Floor-A6	Received:	12/08/2014 @ 13:46
Radon Level :	0.5 pCi/L	Analyzed:	12/08/2014 @ 13:58
Error for Measurement is: ±	0.4 pCi/L		

Canister ID# :	2361917	Test Start :	12/01/2014 @ 12:32
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/03/2014 @ 12:56
Location :	First Floor-C-1N Hall	Received:	12/08/2014 @ 13:46
Radon Level :	1.1 pCi/L	Analyzed:	12/08/2014 @ 12:31
Error for Measurement is: ±	0.4 pCi/L		

The reported results indicate that radon levels in the building tested are below the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends retesting if your living patterns change and you begin occupying a lower level of the building, such as a basement or if major remodeling is done.

General radon information may be obtained by consulting the EPA booklet: A Citizen's Guide to Radon (www.epa.gov/radon/pubs/citguide.html). To request a copy or for further information, please contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.

Andreas C. George
Radon Measurement Specialist
NJ MES 11089Dante Galan
Laboratory DirectorNRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201