

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Technology Services
Test Location: 11 Linden Park
Rochester, NY 14625-

Individual Canister Results

Canister ID# : 2353212 Test Start : 12/01/2014 @ 14:34
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:45
Location : BL Received: 12/08/2014 @ 13:50
Radon Level : 0.1 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2357591 Test Start : 12/01/2014 @ 13:58
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:29
Location : First Floor-A8 Received: 12/08/2014 @ 13:49
Radon Level : 1.1 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2357603 Test Start : 12/01/2014 @ 14:22
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:39
Location : First Floor-B4 Received: 12/08/2014 @ 13:49
Radon Level : 1.0 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2357614 Test Start : 12/01/2014 @ 14:23
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:39
Location : First Floor-106 Ma Received: 12/08/2014 @ 13:49
Radon Level : 1.2 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2357630 Test Start : 12/01/2014 @ 14:17
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:36
Location : First Floor-130 Progr Received: 12/08/2014 @ 13:49
Radon Level : 1.0 pCi/L Analyzed: 12/08/2014 @ 14:16
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2357631 Test Start : 12/01/2014 @ 14:05
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:32
Location : First Floor-M2 Received: 12/08/2014 @ 13:49
Radon Level : 1.3 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Technology Services
Test Location: 11 Linden Park
Rochester, NY 14625-

Individual Canister Results

Canister ID# : 2357919 Test Start : 12/01/2014 @ 14:12
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:35
Location : First Floor-L1 Received: 12/08/2014 @ 13:49
Radon Level : 0.8 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2357920 Test Start : 12/01/2014 @ 14:13
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:35
Location : First Floor-133 Received: 12/08/2014 @ 13:49
Radon Level : 0.8 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2357922 Test Start : 12/01/2014 @ 13:57
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:27
Location : First Floor-A7 Received: 12/08/2014 @ 13:49
Radon Level : 1.0 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2357924 Test Start : 12/01/2014 @ 13:56
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:26
Location : First Floor-122 Recpt Received: 12/08/2014 @ 13:49
Radon Level : 1.3 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2357927 Test Start : 12/01/2014 @ 13:58
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:29
Location : First Floor-A11 Received: 12/08/2014 @ 13:49
Radon Level : 1.4 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2357933 Test Start : 12/01/2014 @ 14:33
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:45
Location : First Floor-A4 Received: 12/08/2014 @ 13:50
Radon Level : 1.4 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Technology Services
Test Location: 11 Linden Park
Rochester, NY 14625-

Individual Canister Results

Canister ID# :	2357936	Test Start :	12/01/2014 @ 14:33
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/03/2014 @ 14:45
Location :	First Floor-A4	Received:	12/08/2014 @ 13:50
Radon Level :	1.2 pCi/L	Analyzed:	12/08/2014 @ 12:50

Average of Side by Side Canisters 1.3 pCi/L

Error for Measurement is: \pm 0.4 pCi/L

Canister ID# :	2357937	Test Start :	12/01/2014 @ 14:07
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/03/2014 @ 14:32
Location :	First Floor-Video prod	Received:	12/08/2014 @ 13:49
Radon Level :	0.5 pCi/L	Analyzed:	12/08/2014 @ 13:39

Error for Measurement is: \pm 0.4 pCi/L

Canister ID# :	2358033	Test Start :	12/01/2014 @ 14:34
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/03/2014 @ 14:45
Location :	First Floor-A3	Received:	12/08/2014 @ 13:50
Radon Level :	1.1 pCi/L	Analyzed:	12/08/2014 @ 13:22

Error for Measurement is: \pm 0.4 pCi/L

Canister ID# :	2358044	Test Start :	12/01/2014 @ 14:04
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/03/2014 @ 14:31
Location :	First Floor-A13	Received:	12/08/2014 @ 13:49
Radon Level :	1.0 pCi/L	Analyzed:	12/08/2014 @ 13:22

Error for Measurement is: \pm 0.4 pCi/L

Canister ID# :	2358045	Test Start :	12/01/2014 @ 14:27
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/03/2014 @ 14:41
Location :	First Floor-124	Received:	12/08/2014 @ 13:50
Radon Level :	1.0 pCi/L	Analyzed:	12/08/2014 @ 13:58

Error for Measurement is: \pm 0.4 pCi/L

Canister ID# :	2358048	Test Start :	12/01/2014 @ 14:06
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/03/2014 @ 14:32
Location :	First Floor-M1	Received:	12/08/2014 @ 13:49
Radon Level :	0.7 pCi/L	Analyzed:	12/08/2014 @ 13:39

Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Technology Services
Test Location: 11 Linden Park
Rochester, NY 14625-

Individual Canister Results

Canister ID# : 2358057 Test Start : 12/01/2014 @ 14:28
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:42
Location : First Floor-120 Received: 12/08/2014 @ 13:50
Radon Level : 0.9 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2358067 Test Start : 12/01/2014 @ 14:19
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:37
Location : First Floor-H1 Received: 12/08/2014 @ 13:49
Radon Level : 0.6 pCi/L Analyzed: 12/08/2014 @ 14:17
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2361100 Test Start : 12/01/2014 @ 14:26
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:40
Location : First Floor-B1 Received: 12/08/2014 @ 13:50
Radon Level : 0.5 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2361124 Test Start : 12/01/2014 @ 14:27
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:41
Location : First Floor-A12 Received: 12/08/2014 @ 13:50
Radon Level : 0.9 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2361664 Test Start : 12/01/2014 @ 14:31
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:44
Location : First Floor-A1 Received: 12/08/2014 @ 13:50
Radon Level : 0.8 pCi/L Analyzed: 12/08/2014 @ 12:50
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2361665 Test Start : 12/01/2014 @ 14:20
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:37
Location : First Floor-124 Received: 12/08/2014 @ 13:49
Radon Level : 1.5 pCi/L Analyzed: 12/08/2014 @ 13:22
Error for Measurement is: ± 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-

Client: Technology Services
Test Location: 11 Linden Park
Rochester, NY 14625-

Individual Canister Results

Canister ID# : 2361672 Test Start : 12/01/2014 @ 14:34
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:45
Location : BL Received: 12/08/2014 @ 13:50
Radon Level : 0.1 pCi/L Analyzed: 12/08/2014 @ 14:35
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2361675 Test Start : 12/01/2014 @ 14:26
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:40
Location : First Floor-B2 Received: 12/08/2014 @ 13:50
Radon Level : 1.4 pCi/L Analyzed: 12/08/2014 @ 12:50
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361677 Test Start : 12/01/2014 @ 14:18
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:37
Location : First Floor-H2 Received: 12/08/2014 @ 13:49
Radon Level : 1.1 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361678 Test Start : 12/01/2014 @ 14:32
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:45
Location : First Floor-A2 Received: 12/08/2014 @ 13:50
Radon Level : 0.6 pCi/L Analyzed: 12/08/2014 @ 12:50
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361682 Test Start : 12/01/2014 @ 14:15
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:36
Location : First Floor-124 Received: 12/08/2014 @ 13:49
Radon Level : 1.2 pCi/L Analyzed: 12/08/2014 @ 13:39
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2361683 Test Start : 12/01/2014 @ 14:21
Canister Type : Charcoal Canister 3 inch Test Stop : 12/03/2014 @ 14:38
Location : First Floor-L1 Received: 12/08/2014 @ 13:49
Radon Level : 1.2 pCi/L Analyzed: 12/08/2014 @ 14:17
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 12/08/2014

Barbara Carlson
41 O'Connor Road
Rochester, NY 14450-Client: Technology Services
Test Location: 11 Linden Park
Rochester, NY 14625-

Individual Canister Results

Canister ID# :	2361689	Test Start :	12/01/2014 @ 14:08
Canister Type :	Charcoal Canister 3 inch	Test Stop :	12/03/2014 @ 14:33
Location :	First Floor-M6	Received:	12/08/2014 @ 13:49
Radon Level :	0.8 pCi/L	Analyzed:	12/08/2014 @ 13:39
Error for Measurement is: ±	0.4 pCi/L		

The reported results indicate that radon levels in the building tested are below the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends retesting if your living patterns change and you begin occupying a lower level of the building, such as a basement or if major remodeling is done.

General radon information may be obtained by consulting the EPA booklet: A Citizen's Guide to Radon (www.epa.gov/radon/pubs/citguide.html). To request a copy or for further information, please contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.

Andreas C. George
Radon Measurement Specialist
NJ MES 11089Dante Galan
Laboratory DirectorNRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201